PART NO. 625-8336

TITLE:


### LS ACCESSORY BRACKET


www.hardin-marine.com

THIS ACCESORY BRACKET COMES PRE ASSEMBLED FROM THE FACTORY. THIS BRACKET IS ATTACHED TO THE BLOCK AND HEAD WITH THE SUPPLIED 10MM BOLTS AND SPACERS. SPACER, FIG. A, IS SHORTER THAT THE OTHER 2 SPACERS, FIG. B. THIS SPACER MOUNTS TO THE HEAD. THE OTHER 2 TO THE BLOCK. USE RED LOCTITE AND TORQUE TO 30-35FT LBS...

DETAIL A SHOWS THE BACK OF THE SEA WATER PUMP. THE 1" NPT WATER INLET IS ON THE BOTTOM. THE 1" NPT


WATER OUTLET IS ON THE TOP.





POWER STEERING, HIGH PRESSURE -6 JIC OUTLET.

> POWER STEERING, LOW PRESSURE -6 JIC INLET.—



THIS DRAWING IS CONFIDENTIAL AND IS SUPPLIED ON EXPRESS CONDITION THAT IT SHALL NOT BE LENT, COPIED OR DISCLOSED TO ANY OTHER PERSON OR USED FOR ANY OTHER PURPOSE WITHOUT WRITTEN CONSENT OF HARDIN MARINE INC.. BREACH OF THIS CONTRACT WILL HOLD ....... AND IT'S PRINCIPALS LIABLE FOR LOSS AND DAMAGES.

HARDIN

11 Industry Dr. Palm Coast, FL 32137 MARINE 386-445-2500 / FAX 386-445-1122


PART NO.

625-8335

TITLE:

## LS TENSIONER & CIRC PUMP ASSEMBLY

## www.hardin-marine.com



INSTALLATION INSTRUCTIONS:


1) APPLY ANTI-SIEZE TO THE (5)8MM x 80 BOLTS AND WASHERS.

2) THE TENSIONER IS PRE-INSTALLED ON CIRCULATING PUMP. SLIDE 8MM x 130

BOLT THOUGHT PUMP. APPLY ANTI-SIEZE.

3) INSTALL GASKET BETWEEN BLOCK AND CIRCULATING PUMP. INSTALL

CIRCULATING PUMP AND TORQUE TO 20-25 FT. LBS.. 4) IF KIT WAS PURCHASED WITH HEAT EXHANGER, THE 2 BYPASS BARBS ARE REMOVED AND PIPE PLUGS ARE INSTALLED. SEE FIGURE A. IF NOT, BARBS ARE LEFT IN. WE STILL SUPPLY BOTH 3/8 & 1/2 PIPE PLUG. FIGURE B SHOWS 625-4576 TUBE THAT ONLY COMES WITH HEAT EXCHANGER KIT.



PART NO. 625-4574


TITLE:


#### LS HEAT EXCHANGER AND BRACKETS

# www.hardin-marine.com

I-1/4 WATER INLET

**BOTTOM VIEW** 







MOUNTS TO STARBOARD SIDE CYLINDER HEAD.

ANIFFREEZE COOLANT FILL.

OVERFLOW. FILL HALF WAY UP THE TANK.

1-1/4 WATER INLET

ZINC 1" WATER OUTLET TO EXHUAST

----


THIS DRAWING IS CONFIDENTIAL AND IS SUPPLIED ON EXPRESS CONDITION THAT IT SHALL NOT BE LENT, COPIED OR DISCLOSED TO ANY OTHER PERSON OR USED FOR ANY OTHER PURPOSE WITHOUT WRITTEN CONSENT OF HARDIN MARINE INC.. BREACH OF THIS CONTRACT WILL HOLD ........ AND IT'S PRINCIPALS LIABLE FOR LOSS AND DAMAGES.


PART NO. 625-4574

TITLE:

## LS HEAT EXHCHANGER INSTALLED VIEWS

www.hardin-marine.com






PART NO. 625-2321

TITLE:

BELT, LS PUMP KIT w/ POWER STEERING

www.hardin-marine.com





PART NO.


625-8313


TITLE: LS DRIVE KIT W/ SINGLE STAGE SEA PUMP & CLOSED COOLING.

www.hardin-marine.com









7.55

**FACE** 

DAMPER SOLD SEPERATELY.

SEA PUMP HAS 1" NPT INLET/OUTLET PORTS. FITTINGS SOLD SEPERATELY.

THIS DRAWING IS CONFIDENTIAL AND IS SUPPLIED ON EXPRESS CONDITION THAT IT SHALL NOT BE LENT, COPIED OR DISCLOSED TO ANY OTHER PERSON OR USED FOR ANY OTHER PURPOSE WITHOUT WRITTEN CONSENT OF HARDIN MARINE INC... BREACH OF THIS CONTRACT WILL HOLD ........ AND IT'S PRINCIPALS LIABLE FOR LOSS AND DAMAGES.

